



It's StarTech.com's 25th anniversary in 2010, and to celebrate we developed a fresh new look for the company. We truly appreciate the loyalty of our customers, and we'll honor that loyalty by living up to our promise: hard-to-find made easy for you.

Enjoy your new product guide!

All the best,

Paul Seed

Ken Kalopsis

Founder/President & CEO

Founder/Vice-Chair



Hard-to-find made easy

At StarTech.com, that isn't a slogan. It's a promise.

StarTech.com is your one-stop source for every connectivity part you need. From the latest technology to legacy products - and all the parts that bridge the old and new - we can help you find the right connectivity solution. We make it easy to locate the parts, and we quickly deliver them wherever they need to go. Just talk to one of our tech advisors or visit our website. You'll be connected to the products you need in no time.

Hard-to-find



Made easy



Product Categories

To ensure you can always obtain the part you need, StarTech.com manufactures over 2500 parts in 60 categories and introduces new products every week. Keep this useful reference guide to learn about our products and visit [StarTech.com](#) for more detailed information and updates.

A/V Solutions		Computer Parts		Cables & Accessories		Server Management	
DisplayPort Adapters	Page 4	Docks & Duplicators	Page 11	A/V Cables	Page 23-24	Desktop KVM	Page 30
USB Display Adapters	Page 5	Drive Enclosures	Page 12	USB Cables	Page 25-26	Enterprise KVM & LCD Consoles	Page 31
Digital Signage Connectivity	Page 6	Mobile Racks & Backplanes	Page 13	FireWire & Adapters	Page 26	Server Racks & Cabinets	Page 32-33
Extenders	Page 7	I/O Cards	Page 14-18	Patch Cables	Page 27		
Converters	Page 8	USB Hubs & Card Readers	Page 19	Internal Cables	Page 28	Hard-to-find Parts	Page 2
Spitters	Page 9	Networking	Page 20-21	Internal Power & Fiber Cables	Page 29	What's New in Connectivity	Page 3
Switches	Page 10	Power Supplies & Cooling	Page 22				

Tech Advisors Available 5am - 11pm ET.

Phone Support
1-800-265-1844

Email Support
sales@startech.com

Chat Online
www.startech.com

Inc. 500
HONOREE

RoHS Compliant
Available

ISO 9001
REGISTERED MANAGEMENT SYSTEM

Hard-to-find Parts

Hard-to-find Parts

Our selection of hard-to-find computer parts and accessories makes it easy to bridge the gap between legacy and cutting-edge technologies, allowing you to complete solutions while saving time and money.



2 Port SATA 6 Gbps PCI Express eSATA Controller Card
PEXESAT32

Add two SATA 6Gbps eSATA ports for high speed access to large external storage solutions.



HDMI to VGA Video Converter with Audio
HDMI2VGA

Connect HDMI devices to a VGA monitor with stereo audio separation.



1.8in USB to Micro SATA Hard Drive Enclosure
SAT1810U2

Turn a 1.8in Micro SATA solid state drive (SSD) hard drive (HDD) into an ultra portable, external storage solution.



6ft RJ45 to DB9 Cisco Console Management Router Cable - M/F
DB9CONCABL6

Replacement cable for use with several Cisco routers.



Micro USB to Mini USB 2.0 Adapter M/F
UUSBMUSBMF

Use older Mini USB cables with newer Micro USB devices.



High Resolution VGA to Composite or S-Video Converter
VGA2VID

Connect a PC with VGA output to a composite or S-Video TV.



7 Port PCI Express Low Profile High Speed USB 2.0 Adapter Card
PEXUSB7LP

Add an additional six external and one internal high speed USB 2.0 ports to any PCIe compatible PC.



KVM Console to USB 2.0 Portable Laptop Crash Cart Adapter
NOTECONS01

Turn any laptop into a console for headless servers, PCs, ATMs, Kiosks and more.



10/100 VDSL Ethernet Extender Kit over Single Pair Wire – 1km
110VDSLEXT

Easily extend your 10/100Mbps Ethernet network up to 1km.

POPULAR HARD-TO-FIND PARTS

Description	Part Number
Dual Port PCI Express Gigabit Ethernet NIC Network Adapter Card	ST1000SPEXDP
2.5in SATA Removable Hard Drive Bay for PC Expansion Slot	S25SLOTR
4 Independent Port PCI Express USB 2.0 Adapter Card	PEXUSB400
2 port PCI Express SuperSpeed USB 3.0 Card - 1 Internal 1 External	PEXUSB3S11
Mini VGA Video and Audio Extender over Cat 5	ST121UTPMINI
12U 4 Post Server Equipment Open Frame Rack with Adjustable Posts & Casters	4POSTRACK12A
Cisco Console Rollover Adapter for RJ45 Ethernet Cable M/F	ROLLOVER

QUESTIONS?
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com

What's new in connectivity

DisplayPort & USB 3.0


We offer new connection technologies such as USB 3.0 and DisplayPort, delivering the improved bandwidth required to support cutting-edge system performance and capability.




DisplayPort

- Offers high quality video connections for computer displays and audio/video equipment
- A maximum data rate of 10.8Gbps
- Video resolutions of up to 2560x1600
- Bridges the compatibility gap between DisplayPort and current standards (DVI, HDMI, VGA)

See our line-up of DisplayPort adapters and products on page 4 and 24.



DisplayPort Male




DisplayPort Female

To learn more about DisplayPort technology and its capabilities please visit StarTech University and take our DisplayPort course for the most up to date information.
www.startech.com/university


USB 3.0

- USB 3.0, also known as “SuperSpeed USB”, is the latest and most advanced development of the Universal Serial Bus host adapter protocol
- Up to 10x faster than USB 2.0!
- Backward compatible with USB 2.0 devices
- Advanced power management capability
- Delivers data transfer speeds up to 5Gbps

USB 3.0



USB 2.0



To learn more about USB 3.0 Technology and its capabilities please visit StarTech University and take our SuperSpeed USB 3.0 course for the most up to date information.
www.startech.com/university



With DP++ multi-mode sources, you can use our passive adapters to connect to an HDMI or DVI display.

With DP single-mode sources, you are required to use our active adapters to connect to an HDMI or DVI display.



StarTech.com offers a wide range of USB 3.0 products:

- PCI Express and ExpressCard extension cards
- Hard Drive Enclosures and Docking Stations
- USB 3.0 Cables

QUESTIONS?
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com

DisplayPort Adapters

DisplayPort & Mini DisplayPort Adapters

Our selection of DisplayPort and Mini-DisplayPort adapters offer a cost-effective solution to make use of existing monitors avoiding costly hardware upgrades.



Triple Head DisplayPort to DVI Multi Monitor Adapter SP123DP2DVI

- Run multi-monitors (up to three) as separate displays or an extended wide screen desktop
- Supports resolutions up to 3840x1024 when connected to three displays



DisplayPort to VGA Video Adapter Converter
DP2VGA2



DisplayPort to DVI Video Adapter Converter
DP2DVI2



Mini DisplayPort to HDMI Video Adapter Converter
MDP2HDMI

DisplayPort to DVI Dual Link Active Converter – USB Powered DP2DVID

- USB powered active converter that supports dual link resolutions when converting DisplayPort to DVI
- Supports resolutions up to 2560x1600 for DVI dual link displays

DISPLAYPORT/MINI DISPLAYPORT TO VGA - ACTIVE

Description	Part Number
DisplayPort to VGA Video Adapter Converter	DP2VGA
DisplayPort to VGA Video Adapter Converter	DP2VGA2
6ft DisplayPort to VGA Cable - M/M	DP2VGA6MM6
Mini DisplayPort to VGA Video Adapter Converter	MDP2VGA
6ft Mini DisplayPort to VGA Cable - M/M	MDP2VGA6MM6

DISPLAYPORT/MINI DISPLAYPORT TO DVI

Description	Part Number
DisplayPort to DVI Video Adapter Converter	DP2DVI
DisplayPort to DVI Video Adapter Converter	DP2DVI2
Video DisplayPort DVI Adapter Converter	DP2DVIADAP
6ft DisplayPort to DVI Video Converter Cable - M/M	DP2DVI6MM6
10ft DisplayPort to DVI Video Adapter Converter Cable - M/M	DP2DVI10M10
Mini DisplayPort to DVI Video Adapter Converter	MDP2DVI
6ft Mini DisplayPort to DVI Cable - M/M	MDP2DVI6MM6

DISPLAYPORT/MINI DISPLAYPORT TO HDMI

Description	Part Number
DisplayPort to HDMI Video Adapter Converter	DP2HDMI
DisplayPort to HDMI Video Adapter Converter	DP2HDMI2
DisplayPort to HDMI Video Adapter Converter - M/F	DP2HDMIADAP
6ft DisplayPort to HDMI Video Converter Cable - M/M	DP2HDMI6MM6
10ft DisplayPort to HDMI Video Adapter Converter Cable - M/M	DP2HDMI10M10
Mini DisplayPort to HDMI Video Adapter Converter	MDP2HDMI
6ft Mini DisplayPort to HDMI Cable - M/M	MDP2HDMI6MM6
Mini DisplayPort to HDMI Adapter with USB Audio	MDP2HDMIUSBA

USB Display Adapters

External VGA or DVI Multi-Monitor Adapters

A powerful line of high-resolution external graphics adapters using USB connectivity to add one or multiple displays to your laptop and desktop computer systems.



Entry Level



USB DVI/VGA External Dual or Multi Monitor Video Adapters USB2VGAE2 and USB2DVIE2

- For use with 17in to 19in monitors or smaller
- Ideal for office applications and internet browsing
- Use up to five adapters on one computer for more displays
- Supports Windows® XP, Vista, and 7 (32/64 bit)
- Maximum resolution of 1680x1050



Professional USB DVI/VGA External Dual or Multi Monitor Video Adapter USB2VGAPRO and USB2DVIPRO

- For use with 24in to 26in monitors or smaller
- Ideal for multimedia applications and video playback
- Supports AERO desktop themes in Windows® Vista & 7
- Use up to five adapters on one computer for more displays
- Supports Windows® XP, Vista, and 7 (32/64 bit), and Mac® OS 10.4.11 or higher
- Maximum resolution of 1920x1200



USB VGA and DVI Dual Port External Video Adapter USB2VGADVI

- A dual-port external USB Display Adapter and a USB hub enclosed in a single unit
- Offers a VGA and DVI-I port for a dual monitor solution
- Supports resolutions up to 1680x1050



USB to HDMI or HDMI over IP Converter IPUSB2HDMI


- The choice of USB to HDMI or HDMI over IP
- Audio support when using the USB to HDMI conversion
- Supports resolutions up to 1680x1050

See our selection of DisplayPort and Mini DisplayPort adapters that allow you to keep your existing VGA, DVI, and HDMI monitors/displays at www.startech.com/av

Use up to three monitors as one large display for audio and video editing, panoramic photos, and even that monster spreadsheet.



No longer are you required to take apart your desktop PC. Adding additional displays to a laptop is made easy with our USB Display Adapters.



QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com

Digital Signage Connectivity


A/V Distributors, Extenders & Splitters

We offer a wide range of scalable digital signage solutions that offer you the flexibility to engage any audience through point-to-point or point-to-multipoint content delivery.


Digital Signage

See our examples below, illustrating a simple application using our ST121UTPMINI and our more advanced DS Series of digital signage content delivery products.

Extend a VGA and accompanying audio signal to a remote display over Cat 5/Cat 6 cabling with this small form-factor device



The perfect choice for VGA and audio distribution for digital signage applications with RS-232 and control software.



Visit StarTech University and take our Digital Signage course: www.startech.com/university



Digital Signage

The term digital signage refers to any form of communication in which dynamic, digitally-driven content is used to provide messaging that is targeted at specific audiences.



Mini VGA Video and Audio Extender over Cat 5

ST121UTPMINI
Provides a complete high resolution point-to-point digital signage solution, comprised of one local transmitter and one remote receiver.

Features

- Transmit VGA Video and Audio through a single Cat 5 or better cable
- Supports resolutions up to 1920x1200 at 90m/275ft
- USB Powered Local/Transmitter unit - no external AC adapter required
- Receiver has a built in equalizer for fine tuning image quality
- Pure hardware design, no software or drivers required



VGA over Cat 5 Digital Signage Receiver/Broadcaster with RS232 & Audio

DSRXL and DS128

Offers a comprehensive audio and video extension system, with the added benefit of serial control!

Features

- | | |
|-------------------------------|------------------------------------|
| HD Resolution Support | Included RGB SKEW Calibration |
| Distance Support (300m/950ft) | DDC Support |
| Bi-Directional RS-232 | Local Monitor Support |
| VGA and Stereo Audio | Cross Platform (Windows/Mac/Linux) |
| Dual Monitor Receiver | VESA Mounting |
| Daisy Chainable Receiver | |

Extenders

Point-to-Point & Point-to-Multipoint A/V Extenders

A full line of versatile signal extenders used to send video, audio and RS-232 control signals up to 1000ft using Cat 5 or better infrastructure wiring.



UTPE/UTPEA Series

The UTPEA Series offers point to multi-point 4 and 8 port extenders with the option of using a repeater/line splitter (STUTPEA4X) to run up to 32 displays (see solution diagram).



Max Resolution and Distance

1024x768	300m/950ft
1280x1024	200m/600ft
1600x1200	100m/300ft
1920x1200	50m/150ft

UTPEA WITH AUDIO SERIES

Description	Part Number
4 Port VGA Video Extender over Cat 5	ST124UTPEA
8 Port VGA Video Extender over Cat 5	ST128UTPEA
VGA Video Receiver over Cat 5	STUTPEALR
4 Port VGA Video Line Splitter over Cat 5	STUTPEA4X


UTPE SERIES

Description	Part Number
VGA Video Extender over Cat 5 - Point to Point	ST121UTPE
4 Port VGA Video Extender over Cat 5	ST124UTPE
8 Port VGA Video Extender over Cat 5	ST128UTPE
VGA Video Receiver over Cat 5 - Long Range Receiver	STUTPRXL

ST121 Series

The ST121 Series offers point to point (one Cat 5 cable) or point to multi-point for larger installations. Use a repeater (ST121EXT) to drop signals up to 32 displays along your path.

Application with ST121 Series



Max Resolution and Distance

1280x1024	150m/600ft
1600x1200	100m/300ft
1920x1200	50m/150ft

POINT-TO-POINT

Description	Part Number
VGA Video Extender over Cat 5 - with Receiver	ST121UTP
VGA Video Extender over Cat 5 with Audio - with Receiver	ST122UTPA
VGA Video Extender over Cat 5 with Audio & RGB SKEW Calibration	ST122UTPAL

POINT-TO-MULTI POINT

Description	Part Number
4 Port VGA Video Extender over Cat 5	ST1214T
8 Port VGA Video Extender over Cat 5	ST1218T
VGA Video Receiver over Cat 5	ST121R
VGA Video Repeater/Extender over Cat 5	ST121EXT

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com

6

StarTech.com
Hard-to-find made easy®

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com

7

StarTech.com
Hard-to-find made easy®

Converters

A/V Converters & Scalers

A vast selection of devices for converting video and audio signals to ensure compatibility with various monitors, displays and projectors.



Professional VGA to HDMI Audio Video Converter
VGA2HDMIPRO



HDMI to VGA Video Converter with Audio
HDMI2VGA



Component to VGA Video Converter with Audio
CPNT2VGAA



S-Video and Composite to HDMI Video Converter with Scaler
VID2HDMITV

VGA VIDEO CONVERTERS

Description	Input Signal	Output Signal	Part Number
VGA to HDMI Video Converter with Audio	VGA/Component	HDMI	VGAHD2HDMI
VGA to HDMI Professional Video Converter with Scaler	VGA	HDMI	VGA2HDMIPRO
VGA to S-Video or Composite High Resolution Video Converter	VGA	S-Video/Composite	VGA2VID
VGA to S-Video or Composite Video Converter with Remote Control	VGA	S-Video/Composite	VGA2NTSCPRO
2 Way High Resolution HDTV VGA Video Converter with Scaler	VGA	Component	VGA2TV2WAY2

DVI AND HDMI CONVERTERS

Description	Input Signal	Output Signal	Part Number
DVI to VGA Video Converter with Scaler	DVI-D	VGA	DVI2VGA
High Resolution Video DVI to VGA Converter	DVI-D	VGA	DVI2VGACON
DVI-D to HDMI Video Converter with Audio	DVI-D	HDMI	DVI2HDMI
HDMI to VGA Video Converter with Audio	HDMI	VGA	HDMI2VGA
HDMI DVI to HDMI DVI Video Converter Scaler with Audio Separation	HDMI/DVI	HDMI/DVI	HDMI2HDMI

COMPONENT VIDEO CONVERTERS

Description	Input Signal	Output Signal	Part Number
Component to HDMI Video Converter with Audio	Component	HDMI	CPNTA2HDMI
Component to HDMI Video Converter with Digital Audio	Component	HDMI	CPNTTOS2HDMI
Component to DVI Video Converter	Component	DVI-I	CPNT2DVI
Component to VGA Video Converter with Audio	Component	VGA	CPNT2VGAA


S-VIDEO AND COMPOSITE VIDEO CONVERTERS

Description	Input Signal	Output Signal	Part Number
S-Video and Composite to VGA Video Converter	S-Video/Composite	VGA	COMP2VGA
S-Video and Composite to DVI Video Converter with Scaler	S-Video/Composite	DVI-D	VID2VIDTV
S-Video and Composite to USB Video Capture Cable with Audio	S-Video/Composite	N/A	SVID2USB2
USB S-Video & Composite Audio Video Capture Cable with TWAIN Support	S-Video/Composite	N/A	SVID2USB22
USB 2.0 S-Video and Composite Video Capture Cable	S-Video/Composite	N/A	SVID2USB2NS

AUDIO CONVERTERS

Description	Input Signal	Output Signal	Part Number
Stereo RCA to SPDIF Digital Coaxial and Toslink Audio Converter	Analog Audio	Digital Audio	AA2SPDIF
Two Way Digital Coax to Toslink Audio Converter Repeater	TosLink/Digital Coaxial	TosLink/Digital Coaxial	SPDIFCOAXTOS

Use VGA2TV2WAY2 to convert VGA to Component or Component to VGA in HD resolutions.



QUESTIONS?
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com

Splitters

VGA, DVI & HDMI A/V Splitters

A full range of products to amplify and distribute a single source to multiple monitors, projectors or HDTV displays.



VGA Splitters

The right splitter to meet the demanding needs of any application.



4 Port Wall Mount VGA Video Splitter
ST124W



4 Port VGA Video Splitter - 250 MHz
ST124L



8 Port High Resolution VGA Video Splitter - 300 MHz
ST128PRO

WALL MOUNTABLE VGA SPLITTERS - W SERIES

# of Ports	Bandwidth	Distance	Resolution	Part Number
2 Ports	250MHz	200ft/60m	1600x1200	ST122W
4 Ports	250MHz	200ft/60m	1600x1200	ST124W
8 Ports	250MHz	200ft/60m	1600x1200	ST128W

PERFORMANCE VGA SPLITTERS - L SERIES

# of Ports	Bandwidth	Distance	Resolution	Part Number
2 Ports	250MHz	200ft/60m	1920x1440	ST122L
4 Ports	250MHz	200ft/60m	1920x1440	ST124L
8 Ports	250MHz	200ft/60m	1920x1440	ST128L

PROFESSIONAL VGA SPLITTERS

# of Ports	Bandwidth	Distance	Resolution	Part Number
2 Ports	350MHz	200ft/60m	2048x1536	ST122PRO
4 Ports	350MHz	200ft/60m	2048x1536	ST124PRO
8 Ports	350MHz	200ft/60m	2048x1536	ST128PRO
2 Ports	350MHz	200ft/60m	2048x1536	ST122PROA

DVI Video Splitters

Our 2 and 4 port DVI splitters offer DVI digital or analog support along with stereo distribution.



4 Port DVI Video Splitter with Audio
ST124DVIA

DVI VIDEO SPLITTERS

# of Ports	Stereo Audio	Distance	Resolution	Part Number
2 Ports	2 Channel	30ft/10m	1920x1200	ST122DVIA
4 Ports	2 Channel	30ft/10m	1920x1200	ST124DVIA

HDMI Splitters

HDMI splitters to distribute HD content with HDCP support.



2 Port HDMI Video Splitter and Signal Amplifier
ST122HDMI

HDMI VIDEO SPLITTERS

# of Ports	Audio	Resolution	Part Number
2 Ports	Yes	1080p	ST122HDMI
4 Ports	Yes	1080p	ST124HDMI
8 Ports	Yes	1080p	ST128HDMI



2 Port VGA Video Splitter - 300 MHz
ST122LE


This two Port VGA Video Splitter allows a computer to display VGA video on two monitors simultaneously.

Specifications

- Maximum Resolution: 2048x1536
- Maximum Distance: 200ft/60m
- Bandwidth: 300MHz

Also Available ST122LEA - with audio

How it works:



QUESTIONS?
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com

Switches

Multiple Source, to Single or Multi-Output A/V Switches

Our versatile A/V Switch products provide flexible solutions for sharing one or more displays with multiple A/V sources quickly and easily.



VGA AUTO SWITCH

# of Ports	Bandwidth	Distance	Resolution	Part Number
2 Ports	250MHz	200ft/60m	1920x1440	ST122VGAU

PROFESSIONAL VGA SWITCH WITH AUDIO AND RS-232

# of Ports	Bandwidth	Distance	Resolution	Part Number
2 Ports	650MHz	200ft/60m	1920x1200/1080P	VS410RVGAA

VGA MATRIX SWITCHES

# of Ports	Bandwidth	Distance	Resolution	Part Number
2 Ports	250MHz	200ft/60m	1920x1200	ST222MX
4 Ports	250MHz	200ft/60m	1920x1200	ST224MX
8 Ports	250MHz	200ft/60m	1920x1200	ST228MX
4x4 Ports	350MHz	200ft/60m	1920x1200	ST424MX

HIGH DEFINITION SWITCHES

# of Ports	Resolution	Part Number
4 Ports	1920x1200/1080P	VS410HDMIE
4 Ports	480i to 1080i	CPNT410IR
8 Ports	480i to 1080p	ST128HDMI

2 Port VGA Auto Switch

ST122VGAU

Lets you share a display between two computers and prioritize your VGA signals. The VGA switch features a primary and secondary VGA input port, and automatically outputs the signal from the primary input.

2 Port VGA Auto Switch

ST122VGAU

4x4 VGA Matrix Video Switch

Splitter with Audio

ST424MX

4-to-1 HDMI 1.3 Video Switch with Remote Control

VS410HDMIE

Connect up to four HDMI 1.3 output devices to a single HDMI input - eliminating the need to manually exchange cables to switch between high definition audio video sources.

8 Port HDMI Audio/Video Splitter - Rack Mountable


ST128HDMI

4 Port VGA Video Audio Switch with RS232 control

VS410RVGAA

Lets you switch between four separate VGA signals, as well as the corresponding audio, for output to a single display or projector.

How the Four Port VGA Video and Audio Switch with RS232 works:




Hard Drive Docks & Duplicators

Standalone Duplicators & PC Docking for hard drives

Our robust duplicators and docking stations provide convenient access to IDE and SATA hard drives and SSD's.



Don't waste time mounting and installing hard drives inside a drive enclosure or PC when you need quick access to hard drive contents!



Advantages:

- Fast access to SATA and IDE hard drives
- Connect hard drives directly to any Desktop or Laptop
- Supports hard drives up to 2 Terabytes
- Has automatic sleep mode when the hard drive is inactive

In the News

"What sets UNIDUPDOCK apart is its ability to clone one drive to another, including SATA to IDE and vice-versa. Better still, the dock can duplicate drives without a PC".
- Smart Computing



USB to SATA Standalone Hard Drive Duplicator Dock
SATDOCK22R



eSATA USB to SATA External Hard Drive Docking Station for 2.5 or 3.5in
SATADOCKU2E

HARD DRIVE DUPLICATORS

Drive Type	Drive Size	Connection	Colors	Key Features	Part Number
IDE/SATA	2.5/3.5in	USB 2.0	Black	IDE & SATA	UNIDUPDOCK
SATA	2.5/3.5in	USB 2.0	Black & Silver	Dupl & Dock	SATDOCK22R
SATA	2.5/3.5in	USB 2.0/eSATA	Black	Dupl & Dock	SATDOCK22RE

HARD DRIVE DOCKING STATIONS

Drive Type	Drive Size	Connection	Colors	Key Features	Part Number
IDE/SATA	2.5/3.5in	USB 2.0	Black & Silver	Both HD types	UNIDOCK2U
SATA	2.5/3.5in	eSATA/USB 2.0	Black	Dual/C=Controller	SATADOCK22UE/SATDOCK22UEC
SATA	2.5/3.5in	USB 3.0	Black	Up to 10x Faster	SATDOCKU3S
SATA	2.5/3.5in	USB 3.0	Black	Includes Controllers	SATDOCKU3SP/SATDOCKU3SE
SATA	2.5/3.5in	eSATA/USB 2.0	Black	Two interfaces	SATADOCKU2E
SATA	2.5/3.5in	USB 2.0	Black	Small Footprint	SATADOCKU2
SATA	2.5in	USB 2.0	Black	Pocket size	SATDOCK25U
SATA	2.5in/3.5in	USB 2.0	Black & Silver	Card Reader & Hub	SATDOCKCRH

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com

Drive Enclosures

For custom external storage solutions
A complete selection of drive enclosures supporting all types of IDE and SATA hard drives, with multiple connectivity options to meet your external storage requirements.



2.5in Tool-less USB 2.0 to IDE SATA External Hard Drive Enclosure
UNI2510U2V



3.5in Black eSATA USB 2.0 to IDE SATA External Hard Drive Enclosure
UNI3510U2EB



3.5in Silver eSATA USB Dual SATA External RAID Hard Drive Enclosure
SAT3520U2ER

PORTABLE/LAPTOP

Drive Type	Drive Size	Connection	Colors	Key Features	Part Number
IDE	1.8in	USB 2.0	Silver	LIF/ZIF HD	IDE1810U2Z
SATA	1.8in	USB 2.0	Silver	Micro SATA HD	SAT1810U2
IDE	2.5in	USB 2.0	Silver	Lightweight	IDE2510U2
IDE/SATA	2.5in	USB 2.0	Silver	Both HD/Toolless	UNI2510U2V
SATA	2.5in	USB 2.0	Silver/Black	Lightweight	SAT2510U2/SAT2510BU2
SATA	2.5in	USB 2.0	Silver	Integrated Cable	SAT2510SCB
SATA	2.5in	USB 2.0	Black	One Button Backup	SAT2510BU2B
SATA	2.5in	eSATA/USB 2.0	Silver/Black	Up to 3 Gbps	SAT2510U2E/SAT2510BU2E
SATA	2.5in	eSATA/USB 2.0	Silver	Combined Single Port	S2510PESAT
SATA	2.5in	1394a/USB 2.0	Silver	Firewire	SAT2510U2F
SATA	2.5in	USB 3.0	Black	Up to 10x Faster	SAT2510BU3

DESKTOP

Drive Type	Drive Size	Connection	Colors	Key Features	Part Number
IDE	3.5in	USB 2.0	Black	Easy to Instal	IDE3510U2
IDE/SATA	3.5in	USB 2.0	Black	Both HD types	UNI3510U2
IDE/SATA	3.5in	eSATA/USB 2.0	Silver/Black	Both HD types	UNI3510U2E/UNI3510U2EB
SATA	3.5in	USB 2.0	Silver/Black	Small Footprint	SAT3510U2V/SAT3510BU2V
SATA	3.5in	USB 2.0	Silver	One Button Backup	SAT3510U2B
SATA	3.5in	eSATA/USB 2.0	Black	Removable	SAT3510BU2E
SATA	3.5in	1394a/USB 2.0	Silver	Firewire	SAT3510U2F
SATA	3.5in	USB 3.0	Black	Up to 10x Faster	SAT3510BU3

MULTI DRIVE / RAID

Drive Type	Drive Size	Connection	Colors	Key Features	Part Number
SATA	2.5in	eSATA/USB 2.0	Black	Dual; RAID 0, 1	S252U2ERR
SATA	3.5in	USB 2.0	Black	Dual; RAID 0, 1	SAT3520U2R
SATA	3.5in	eSATA/USB 2.0	Silver	Dual; RAID 0, 1	SAT3520U2ER
SATA	3.5in	eSATA/USB 2.0	Silver	Dual; RAID 0, 1; Tray	S352U2RER
SATA	3.5in	eSATA/USB 2.0	Black	4 Bay; JBOD	SAT3540U2E
SATA	3.5in	eSATA	Silver	4 Bay; RAID 0, 1, 5, 10	SAT3540ER2
SATA	3.5in	1394a/b/eSATA/USB	Black	4 Bay; RAID 0, 1, 3, 5, 10	S354UFER

Mobile Racks & Backplanes

Simple, hot-swappable internal storage solutions
A full line of single and multiple hard drive mobile racks and backplanes (drive arrays) mountable in existing PC and Server drive bays.



4 Drive 2.5in Removable SAS SATA Mobile Rack Backplane
SATSASBAY425



3.5in Trayless Hot Swap SATA Mobile Rack for Dual 2.5in Hard Drives
SATDOCK2520

BACKPLANES

Drive Type	Drive Size	Colors	Key Features	Part Number
SAS/SATA	2.5/3.5in	Black	3 Drive; Both Sizes	SATSASBAY3BK
SATA	3.5in	Black	3 Drive; Trayless	HSB320SATBK
SATA	3.5in	Black	4 Drive; Trayless	HSB430SATBK
SAS/SATA	2.5in	Black	4 Drive in Single 5.25in Bay	SATSASBAY425
SAS/SATA	3.5in	Black	5 Drive; Trayless	SBAY5BK

MOBILE RACKS/DRIVE DRAWERS

Drive Type	Drive Size	Colors	Key Features	Part Number
SATA	2.5in	Black	Dual Drive; Trayless	SATDOCK2520
SATA	3.5in	Black	Single; Trayless	HSB100SATBK
SATA	2.5in	Black	Dual Drive; Trayless	HSB220SAT25B
SATA	2.5in	Black	PCI Slot based; Trayless	S255LOTR
IDE	3.5in	Black	Removable HD Caddy	DRW110ATABK
SATA	3.5in	Black	Removable HD Caddy	DRW110SATBK
SATA	3.5in	Black	HD Caddy; Dual Fans	DRW113SATBK
SATA	3.5in	Black	SATA 6; 25K Insertion cycle	DRW150SATBK
SAS/SATA	3.5in	Black	SAS/SATA 6; 25K Insertion cycle	DRW150SASBK
IDE	3.5in	Black	High Durability; HD Caddy	DRW115ATABK
SATA	3.5in	Black	SATA 6; High Durability	DRW115SATBK
SATA	2.5in	Black	Dual Use - Internal & External	SAT2510U2REM
SATA	2.5/3.5in	Black	Single 5.25in Bay Holds 1 of each	SATADOCK525

Drive Mounting & Accessories

Mount single and dual hard drives into various types of hard drive bays.



3.5in Universal Hard Drive Mounting Bracket for 5.25in Bay
BRACKET



2.5in IDE/SATA Hard Drive to 3.5in Bay Mounting Kit
BRACKET25/BRACKET25SAT



3.5in Hard Drive to 5.25in Front Bay Bracket
BRACKETFDBK



Dual 2.5in to Single 3.5in SATA/IDE Hard Drive Mounting Kit
SATA35252X/IDE35252X



2.5in/3.5in Silicon Hard Drive Protector Sleeves with Connector Caps
HDDSLEV25/HDDSLEV35

Conxit Connection Wizard

StarTech.com's new ConXit Connection Wizard helps you find the right converter, extender, splitter, interface card or cable in two easy steps!

Visit: www.startech.com/conxit



QUESTIONS?
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com



QUESTIONS?
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com



I/O Cards

PCI/PCIe Cards, Adapters, and Converters

A robust line of serial and parallel cards to suit nearly every possible application, including multiple port configurations, form factors, connectors, and protocols.



1 Port PCI Parallel Adapter Card
PCI1PECP



2 Port PCI Low Profile RS232 Serial Adapter Card with 16550 UART
PCI2S550_LP



1 Port Low Profile Native PCI Express Serial Card with 16950
PEX1S952LP



2 Port RS232 Mini PCI Express Serial Card with 16950 UART
MPEX2S952



4 Port Professional USB to Serial Adapter Hub with COM Retention
ICUSB2324X



1 Port Metal Industrial USB to RS422/RS485 Serial Adapter with Isolation
ICUSB422IS



3 Port PCI Express 12V Powered USB Adapter Card - USB PlusPower
PEX312PUSB

PARALLEL CARDS (SPP/ECP/EPP/BPP COMMUNICATIONS)

# of Ports	Bus	Chipset	Data Rate	Features	Part Number
1 Port	PCI	NM9805CV	1.5 Mbps	Low Profile	PCI1P_LP*
1 Port	PCI	NM9805CV	1.5 Mbps	Low/Full profile brackets included	PCI1PECP
1 Port	PCI	SUN1888	1.5 Mbps	Full Profile	PCI1P
1 Port	PCI	OX16PCI1952	1.5 Mbps	Dual voltage, dual brackets	PCI1PECPDV
1 Port	PCI Express	OXPCIe952	1.5 Mbps	Low/Full profile brackets included	PEX1P
2 Ports	PCI	MCS9815	1.5 Mbps	Low/Full profile brackets included	PCI2PECP
2 Ports	PCI Express	MCS9815CV	1.5 Mbps	Low/Full profile brackets included	PEX2PECP

PCI SERIAL CARDS (RS-232/RS-485/RS-422)

# of Ports	Bus	Chipset	Data Rate	Features	Part Number
1 Port	16C550	RS-232	921 Kbits/sec	Full Profile	PCI1S550
1 Port	16C550	RS-232	921 Kbits/sec	Low Profile	PCI1S550_LP*
1 Port	16C650	RS-232	921 Kbits/sec	Dual Voltage	PCI1S650PW
2 Ports	16C550	RS-232	921 Kbits/sec	Full Profile	PCI2S550
2 Ports	16C550	RS-232	921 Kbits/sec	Low Profile	PCI2S550_LP*
2 Ports	16C950	RS-422/485	921 Kbits/sec	Full Profile	PCI2S485
2 Ports	16C554	RS-422/485	230 Kbits/sec	Optically Isolated	PCI2S422ISO
2 Ports	16C650	RS-232	921 Kbits/sec	Dual Voltage	PCI2S650PW
2 Ports	16C950	RS-232	921 Kbits/sec	Dual Voltage	PCI2S950DV
4 Ports	16C550	RS-232	921 Kbits/sec	Breakout cable uses a single slot	PCI4S550
4 Ports	16C550	RS-232	921 Kbits/sec	Occupies 2 slots	PCI4S550N
4 Ports	16C554	RS-422/485	230 Kbits/sec		PCI4S422DB9
4 Ports	16C650	RS-232	921 Kbits/sec	Dual Voltage	PCI4S650PW
4 Ports	16C950	RS-232	921 Kbits/sec		PCI4S9503V
8 Ports	16C950	RS-232	921 Kbits/sec		PCI8S9503V

PCI-EXPRESS SERIAL CARDS (RS-232) - SINGLE CHIP DESIGN FOR UP TO 48% LESS LOAD ON CPU

# of Ports	Chipset	Protocol	Data Rate	Features	Part Number
1 Port	MCS9922CV-AA	RS-232	460 Kbits/sec	Low/Full profile brackets included	PEX1S553/LP*
1 Port	OXPCIe952	RS-232	460 Kbits/sec	Low/Full profile brackets included	PEX1S952/LP*
2 Ports	MCS9922CV-AA	RS-232	460 Kbits/sec	Low/Full profile brackets included	PEX2S553/LP*
2 Ports	OXPCIe952	RS-232	460 Kbits/sec	Low/Full profile brackets included	PEX2S952/LP*
2 Ports	MCS9901	RS-232	250 Kbits/sec	Breakout cable uses a single slot	PEX2S552B
4 Ports	MCS9922CV-AA	RS-232	460 Kbits/sec	Low/Full profile brackets included	PEX4S553
4 Ports	OXPCIe954	RS-232	460 Kbits/sec	Low/Full profile brackets included	PEX4S952/LP*
4 Ports	MCS9901	RS-232	250 Kbits/sec	Breakout cable uses a single slot	PEX4S552B
8 Ports	OXPCIe958	RS-232	460 Kbits/sec	Breakout cable uses a single slot	PEX8S952
16 Ports	OXPCIe958	RS-232	921 Kbits/sec	Breakout cable uses a single slot	PEX16S952LP*

COMBO CARDS/OTHER CARDS

# of Ports	Bus	Protocol	Data Rate	Features	Part Number
1 Serial, 1 Parallel	Mini PCI Express	RS-232 + ECP/EPP	460 Kbits/sec & 1.5 Mbps/sec		PEX1S1PMINI
2 Serial	Mini PCI Express	RS-232	460 Kbits/sec	Powered	MPEX2S952
2 Serial, 1 Parallel	PCI	RS-232 + ECP/EPP	460 Kbits/sec & 1.5 Mbps/sec	Low/Full profile brackets included	PCI2S1P
2 Serial, 1 Parallel	PCI Express	RS-232 + ECP/EPP	460 Kbits/sec & 1.5 Mbps/sec	Low/Full profile brackets included	PEX2S5531P
2 Serial, 1 Parallel	PCI Express	RS-232 + ECP/EPP	250 Kbits/sec & 1.5 Mbps/sec	Breakout cable uses a single slot	PEX2S1P552B

USB TO SERIAL & PARALLEL

# of Ports	Chipset	Type	Features	Part Number
1 Port	PL2303	RS-232		ICUSB232
1 Port	PL2303	RS-232	COM port retention	ICUSB232PRO
1 Port	TIUSB3410	RS-232	Rugged Enclosure, COM port retention	ICUSB2321X
1 Port	FTDI FT232R	RS-232	Internal cable add-on to M/B	ICUSB232INT1
1 Port	FTDI FT232RL	RS-422/485		ICUSB422
1 Port	FTDI FT232RL	RS-422/485	Optically Isolated, Industrial	ICUSB422IS
2 Ports	PL2303	RS-232	2 Ports on a single cable	ICUSB232C2
2 Ports	TIUSB3410	RS-232	Rugged Steel Enclosure, COM port retention	ICUSB2322X
4 Ports	FTDI FT232RL	RS-232	COM port retention	ICUSB2324
4 Ports	TIUSB3410	RS-232	Rugged Steel Enclosure, COM port retention	ICUSB2324X
8 Ports	FTDI FT232RL	RS-232	COM port retention	ICUSB2328

EXPRESSCARD/CARDBUS TO SERIAL & PARALLEL

# of Ports	Bus	Type	Features	Part Number
1 Port	Cardbus (PCMCIA)	RS-422/485		CB1S485
1 Port	Cardbus (PCMCIA)	ECP/EPP		CB1PECP
1 Port	Expresscard	RS-232	USB Based	EC1S232U
1 Port	Expresscard	RS-232		EC1S952
1 Port	Expresscard	ECP/EPP	USB Based	EC1UP
1 Port	Expresscard	ECP/EPP		EC1PECP5
2 Ports	Cardbus (PCMCIA)	RS-232		CB2S950
2 Ports	Expresscard	RS-232		EC2S952
4 Ports	Cardbus (PCMCIA)	RS-232		CB4S950
4 Ports	Expresscard	RS-232		EC4S952

ETHERNET (RJ45) TO SERIAL

Input	# of Ports	Output Signal	Features	Part Number
RS-232	1 Port	RS-422/485	Serial signal converter 232 to 485	IC485S
RJ45	1 Port	RS-232/422/485	Serial over IP Ethernet Device Server	NETRS2321E
RJ45	1, 2, 4 Ports	RS-232	Serial over IP Ethernet Device Server	NETRS232_1/2/4
RJ45	1 Port	RS-232	Power over Ethernet (PoE) to Serial	NETRS2321POE

POWERED USB/USB PLUSPOWER


# of Ports	Bus	Voltage	Features	Part Number
3 Ports	PCI	3 x 12V	Low/Full profile brackets included	PCI312PUSB/LP*
3 Ports	PCI Express	3 x 12V	Low/Full profile brackets included	PEX312PUSB/LP*
2 Ports	Motherboard	1 x 24V, 1 x 12V	Requires no PCI/PCIe slot	PUSBADAP/LP*
3 Ports	PCI	1 x 24V, 2 x 12V	Low/Full profile brackets included	PCI1224PUSB

*Models ending in LP ship built as low profile

Flexible solutions for adding serial connectivity to any system.




Laptop



ICUSB232

External Add-ons



ICUSB232INT1

Internal Add-ons



PC

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com

I/O Cards

Storage Cards & Adapters

A complete selection of internal and external storage controllers, adapters and converters to support storage connectivity and expansion solutions for all types of hard drives, solid state drives and CF media.



1 Port Slim ExpressCard 34mm eSATA II Controller Adapter Card ECESATA1

LAPTOP/NOTEBOOK

# of Ports	Bus	Type	Key Features	Part Number
2 Ports	Cardbus	eSATA	32 bit CardBus	CBESAT2
1 Port	34mm ExpressCard	eSATA	Flushmount	ECESATA1
2 Ports	34mm ExpressCard	eSATA	Single Chip; Port Multiplier	ECESATA22
2 Ports	54mm ExpressCard	eSATA	Single Chip; PM	ECESATA254
1 Port	34mm ExpressCard	eSATAp (USB+eSATA)	Single combination port	ECESATUSB1
2 Ports	34mm ExpressCard	eSATA	SATA 6; PM	ECESAT32

DESKTOP

# of Ports	Bus	Type	Key Features	Part Number
2 Ports	PCI	eSATA/SATA	1 Ext + 1 Internal; LP Bracket	PCIESATA2I
4 Ports	PCI	SATA	RAID 0, 1; LP Bracket	PCISATA4R1
3 Ports	PCI	SATA/IDE	2 Int SATA & IDE; LP Bracket	PCISAT2IDE1
1 Port	PCIe	eSATA	Single Chip; PM; LP Bracket	PEXESATA1
2 Ports	PCIe	eSATA	Single Chip; PM; LP Bracket	PEXESATA2
4 Ports	PCIe	SATA/IDE	2 SATA + 2 IDE Internal	PEXSAT2IDE2
2 Ports	PCIe	SATA	Single Chip; PM; LP Bracket	PEXSATA22I
6 Ports	PCIe	eSATA/SATA	Single Chip; PM	PEXSATA24E
2 Ports	PCIe	eSATA	SATA 6; PM; LP Bracket	PEXESAT32
2 Ports	PCIe	SATA	SATA 6; PM; LP Bracket	PEXSAT32
1 Port	PCIe	IDE	Supports 2 Drives; LP Bracket	PEX2IDE
1 Port	PCI	SCSI	Ultra Wide SCSI	PCISCSIUW

DRIVE CONVERTERS

Host System	Host	Peripheral Connector	Key Features	Part Number
Desktop/Server	IDE	SATA HD	Connect SATA HD to IDE System	IDE2SAT
Desktop/Server	IDE	SATA HD	Connect 2.5 or 3.5in SATA HD	IDE2SAT25
Desktop/Server	IDE	SATA HD	Connect 2 SATA HD to IDE	PATA2SATA2
Desktop/Server	IDE or SATA	SATA or IDE HD	Bi-Directional	PATA2SATA3
Desktop/Server	USB 2.0	SATA or IDE HD	Connect SATA HD or IDE to USB	USB2SATAIDE
Desktop/Server	Internal USB	Slim SATA	Connect Slimline SATA Optical Drive	USB2SLSATINT
Desktop/Laptop	USB 2.0	eSATA	Converts USB Port to eSATA	USB2ESATA
Desktop/Laptop	USB 2.0	SATA	Supports 2.5 or 3.5in HD	USB2SATA25
Desktop/Laptop	USB 3.0	SATA	Supports 2.5 or 3.5in HD	USB3S2SATA
Desktop/Server	SATA	Slim IDE	Connect Slimline IDE Optical Drive	OPT2SATA

FLASH MEDIA INTERNAL ADAPTERS

Host System	Host	Peripheral Connector	Key Features	Part Number
Laptop	1.8 or 2.5in IDE	Compact Flash	Bootable SSD	CF2IDE18
Laptop	1.8in Micro SATA	Compact Flash	Bootable SSD	CF2USAT18E
Laptop	2.5in IDE	Dual Compact Flash	Bootable SSD	CF2X2IDE25
Laptop	40/44 pin IDE	Compact Flash	Bootable SSD	IDE2CF
Laptop	40/44 pin IDE	Compact Flash	Bootable SSD; 3.5in Bay	35BAYCF2IDE
Laptop	SATA	Compact Flash	Bootable SSD; 3.5in Bay	35BAYCF2SAT
Laptop	2.5in SATA	Dual Compact Flash	Bootable SSD; RAID	2CF2SATAR
Laptop	SATA	Compact Flash	Bootable SSD	SAT2CF




1.8in Micro SATA to Compact Flash Solid State Drive Enclosure Adapter CF2USAT18E



I/O Cards

USB I/O Cards & Adapters

Our selection of USB and Firewire connectivity products allows you to harness the abilities of cutting edge technologies, giving you access to more devices, functions and faster data transfers.



2 Port ExpressCard SuperSpeed USB 3.0 Card Adapter ECUSB3S2



4 Port PCI High Speed USB 2.0 Adapter Card PCI420USB

FireWire Cards

Our Firewire 800 (1394b) and Firewire 400 (1394a) interface cards connect desktops and laptops to firewire enabled devices.



2 Port 1b 1a ExpressCard 34mm Laptop 1394 FireWire Adapter Card EC13941A1B



2 Port PCI Express 1394a FireWire Card PEX1394A2

LAPTOP/NOTEBOOK

# of Ports	Bus	Connection	Key Features	Part Number
2 Ports	CardBus	USB 2.0	32 bit CardBus	CBUSB22
4 Ports	CardBus	USB 2.0	32 bit CardBus	CB420USB
2 Ports	ExpressCard	USB 3.0	Up to 10x Faster than USB 2.0	ECUSB3S2
2 Ports	ExpressCard	USB 2.0	PC and MAC Compatible	EC230USB
4 Ports	ExpressCard	USB 2.0	PC and MAC Compatible	EC400USB

DESKTOP

# of Ports	Bus	Connection	Key Features	Part Number
3 Ports	PCI	USB 2.0	Standard Profile/Low Profile	PCI220USB/PCI220USBLP
5 Ports	PCI	USB 2.0	4 external + 1 Internal	PCI420USB
7 Ports	PCI	USB 2.0	6 external + 1 Internal; Servers	PCIUSB7
2 Ports	PCIe	USB 3.0	Up to 10x Faster than USB 2.0	PEXUSB3S2
2 Ports	PCIe	USB 3.0	Up to 10x Faster than USB 2.0; 1 Ext/1 Int	PEXUSB3S11
5 Ports	PCIe	USB 2.0	4 external + 1 Internal	PEX400USB2
4 Ports	PCIe	USB 2.0	Configured as Low Profile	PEXUSB4DP
4 Ports	PCIe	USB 2.0	4 Independent USB 2.0 Ports	PEXUSB400
7 Ports	PCIe	USB 2.0	6 external + 1 Internal; Servers; LP	PEXUSB7LP

LAPTOP/NOTEBOOK

# of Ports	Bus	Connection	Key Features	Part Number
3 Ports	CardBus	1394a	Includes DV Edit Kit	CB1394
2 Ports	CardBus	1394a	Includes DV Edit Kit	CB1394_2
2 Ports	ExpressCard	1394a/1394b	Includes DV Edit Kit	EC13941A1B
2 Ports	ExpressCard	1394a	Includes DV Edit Kit	EC13942A2
2 Ports	ExpressCard	1394a	TI Chipset	EC13942
2 Ports	ExpressCard	1394b	Up to 800 Mbps	EC1394B2

DESKTOP


# of Ports	Bus	Connection	Key Features	Part Number
3 Ports	PCI	1394a	Incl. DV Kit; Std or LP configurations	PCI1394_2/PCI1394_2LP
4 Ports	PCI	1394a	PC and Mac Compatible; LP Bracket	PCI1394MP
3 Ports	PCI	1394b/1394a	Two FW800; 3.3 or 5v slots	PCI1394B_3
4 Ports	PCIe	1394a	3 Ext + 1 Int; LP Bracket	PEX13943
2 Ports	PCIe	1394a	Single Chipset; LP Bracket	PEX1394A2
2 Ports	PCIe	1394a	Single Chipset; LP Bracket; DV Edit Kit	PEX1394A2DV
3 Ports	PCIe	1394b/1394a	Two FW800; Single Chipset; LP Bracket	PEX1394B3
3 Ports	PCIe	1394b/1394a	Two FW800; Single Chipset; LP Configured	PEX1394B3LP



I/O Cards

Bus and Sound Expansion & Conversion Adapters

A selection of adapters that provide bus conversion and additional expansion slots to extend use of desktop and laptop interface cards and controllers.



PCI Express to PCI Adapter Card
PEX1PCI1

SLOT CONVERSION & EXPANSION

Host System	Host	Peripheral	Key Features	Part Number
Desktop/Server	PCI	Low Profile PCIe	Adapt LP PCIe to PCI	PCI1PEX1
Desktop/Server	PCIe	Low Profile PCI	Adapt LP PCI to PCIe	PEX1PCI1
Desktop/Server	PCI	Mini PCI	Adapt Mini PCI like Wireless Card	PCI2MPCIB
Desktop/Server	PCIe	ExpressCards	Use 34/54mm ExpressCard in PC	PEX2ECDP
Laptop	ExpressCard	CardBus	Use CB cards in EC equipped Laptop	CB2EC
Laptop	CardBus	ExpressCard (USB)	Use EC cards in older Laptops	EC2CBU
Desktop/Laptop	USB	ExpressCard (USB)	Use Broadband or USB EC in PC	ECU2USB
Desktop/Server	PCI	PCMCIA	Use single PCMCIA Cards in PC	PCI2PCMCIA1E
Desktop/Server	PCI	PCMCIA	Use two PCMCIA Cards in PC	PCI2PCMCIA2
Desktop/Server/Laptop	PCIe/EC	PCI/PCIe	2 PCI/2 PCIe Slot Expansion Box; EC2PCI for Laptops	PEX2PCIE4L
Desktop/Server/Laptop	PCIe/EC	PCI	4 PCI Slot Expansion Box; EC2PCI for Laptops	PEX2PCI4
Desktop/Server	PCIe x1	PCIe x1 - x16	Adapts LP PCIe Cards	PEX1TO162
1U/2U PC or Server	PCIe x1	PCIe x16	Install full size x16 Graphics Card in SFF System	PEX16RISER
1U/2U PC or Server	PCIe x1	PCIe x1	Install full size PCIe in SFF System	PCIE1RIS



7.1 Channel PCI Digital Surround Sound Adapter Card - 24 bit
PCISOUND7

SOUND CARDS & CONVERSION

Ports	Bus	Type	Key Features	Part Number
Audio Out, Line in, MIC, MIDI	PCI	4 Channel	Legacy Audio SBPro; Low Profile version	PCISOUND4CH/PCISOUND4LP
Audio Out, Line in, MIC	PCI	5.1 Channel	Legacy Audio SBPro; Low Profile version	PCISOUND5CH/PCISOUND5LP
Surround Out, Line in, MIC	PCI	7.1 Channel	SPDIF Digital Out	PCISOUND7
Surround Out, Line in, MIC	External USB	7.1 Channel	SPDIF Digital Out; Volume Controls	ICUSBAUDIO7D
Headphone/MIC	External USB	Audio Adapter	7.1 Channel (Virtual)	ICUSBAUDIO7
Headphone/MIC	External USB	Audio Adapter	Black	ICUSBAUDIOB
Headphone/MIC	External USB	Audio Adapter	White	ICUSBAUDIO

USB Hubs, Card Readers & Adapters

USB Hubs & Flash Card Readers

Connect multiple USB devices and adapters to desktops, servers and laptops.



4 Port Compact Black USB 2.0 Hub
ST4202USB

USB HUBS

# of Ports	Interface	Color	Key Features	Part Number
4 Ports	USB 2.0	Silver	Desktop/Laptop	ST4200MINI
4 Ports	USB 2.0	Black	Desktop/Laptop; Mounted Industrial	ST4200USBM
4 Ports	USB 2.0	Black	Desktop/Laptop	ST4202USB
7 Ports	USB 2.0	Black	Desktop/Laptop; Mounted Industrial	ST7200USBM
7 Ports	USB 2.0	Black	Desktop/Laptop	ST7202USB



Mountable Rugged Industrial 7 Port USB Hub Part # ST7200USBM

Can be wall mounted or installed onto a DIN rail for convenient access to its 7 female USB 2.0 ports, providing a work area, server room, or industrial environment with USB 2.0 connectivity.



ExpressCard 12-in-1 Multi Media Memory Card Reader Part # ECREAD

This 12-in-1 memory card reader allows you to access several different types of media cards/ memory cards from your laptop computer.

USB ADAPTERS & DEVICES

Host System	Host	Peripheral	Key Features	Part Number
Desktop/Laptop	USB 2.0	USB 2.0	PC to MAC File Transfers	PCMACLINK2
Desktop/Laptop	USB 2.0	USB 2.0	WIN XP to WIN Vista or 7	USB2LINK
Desktop/Laptop	USB 2.0	RJ11	External 56K dialup modem	USB56KEM
Desktop/Laptop	USB 2.0	Bluetooth 2.0	Connect to Bluetooth device	USBBT2EDR
Desktop/Laptop	USB 2.0	IrDA	File Transfer to Infrared device	USB2IR2/USB2IRX
Desktop	USB 2.0	PS2	Connect PS2 Keyboard & Mouse	USB2PS2
Desktop/Laptop	USB 1.1	USB 1.1	Share USB device with 4 PC's	USB421



External 56K USB Modem
USB56KEM

CARD READERS

Host System	Host	Peripheral	Key Features	Part Number
Laptop	ExpressCard	Single Slot	12-in-1 SD/MMC/MS/MS Pro	ECREAD
Laptop	ExpressCard	Single Slot	Compact Flash	CF2EC
Desktop/Laptop	USB 2.0	External Standalone	14-in-1; Supports SDHC	FCREADHC
Desktop/Laptop	USB 2.0	External Standalone	Supports SDHC/XC	FCREADMICRO
Desktop/Laptop	USB 2.0	External Standalone	7-in-1; SDHC, Mini size	FCREADMINI
Desktop	USB 2.0	3.5in Bay	7-in-1	35FCREAD
Desktop	USB 2.0	3.5in Bay	20-in-1	35FCREAD20BK
Desktop	USB 2.0	3.5in Bay	9-in-1	35FCREADBK
Desktop	USB 2.0	3.5in Bay	7-in-1 ; Ejectable	35FCREADREM



14-in-1 USB 2.0 High Capacity Silver Multi Media Memory Card Reader
FCREADHC

Conxit Connection Wizard

StarTech.com's new ConXit Connection Wizard helps you find the right converter, extender, splitter, interface card or cable in two easy steps!

Visit: www.startech.com/conxit



QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com



QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com



Networking

Cards, Adapters, Extenders, and Device Servers

All of your connectivity needs can be met in one place with networking solutions ranging from add-on network cards to USB over ethernet device servers, fiber extenders, and more.

NETWORK & CONSOLE EXTENDERS


Type	Distance	Description	Part Number
Network Extender	8000ft	Extend an 10/100 Ethernet network over Coaxial cable up to 8,000 feet (2.4 km)	EOC110K
Console Extender	500ft	PS/2 VGA KVM Extender over Cat5 UTP	SV565UTP
Console Extender	500ft	USB VGA KVM Extender over Cat5 UTP	SV565UTPU
Console Extender	1000ft	Long Range USB VGA KVM Extender over Cat5 UTP	SV565UTPUL
Console Extender	1640ft	High definition Full USB 2.0 + DVI KVM Extender over Cat5 UTP	SV565UTPDUA
Console Extender	1000ft	USB VGA KVM Console Extender with Serial & Audio Over Cat5 UTP	SV565UTPUSA
Console Extender	6600ft	USB DVI KVM Console Extender with Serial & Audio Over MM Fiber	SV565FXDUSA

FIBER CARDS/SFPS

Type	Connector	Speed	Part Number
Multi-Mode	ST	100Mbit	PCI100MMST
Multi-Mode	SC	100Mbit	PCI100MMSC
Multi-Mode	SC	1000Mbit (Gigabit)	PEX1000MMSC
Multi-Mode SFP	LC	1000Mbit (Gigabit)	SFPSXMM
Single-Mode SFP	LC	1000Mbit (Gigabit)	SFPLHSM

Extend your network over vast distances or even over existing single pair telephone wire with the 110VDSLEXT.

VDSL Network Extender



QUESTIONS?
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com



Long Range USB VGA KVM Console Extender over Cat5 UTP - 1000 ft SV565UTPUL



100Mbps Full/Low Profile Ethernet Multi Mode SC Fiber PCI NIC Card 2km PCI100MMSC



10/100 Fiber to Ethernet Media Converter Multi Mode SC 2 km MCM110SC2



1000 Mbps Gigabit Multi Mode Fiber Ethernet Media Converter SC 550m MCMGBSC055



1 Port ExpressCard Gigabit Laptop Ethernet NIC Network Adapter Card EC1000S



5 Port 10/100 Mbps Desktop Fast Ethernet Switch DS5107



4 Port USB 2.0 Extender over Cat5 or Cat6 - Up to 330 ft (100m) USB2004EXT

FIBER MEDIA CONVERTERS - 10/100 MBIT

Type	Connector	Distance	Part Number
Multi-Mode, Plastic	ST	2km	MCM110ST2
Multi-Mode, Plastic	SC	2km	MCM110SC2
Multi-Mode, Steel	ST	2km	ET90110ST
Multi-Mode, Steel	SC	2km	ET90110SC
Multi-Mode, PoE	ST	2km	MCM110ST2P
Multi-Mode, PoE	SC	2km	MCM110SC2P
Single-Mode	SC	30km	ET90110SM30
WDM (Single fiber RX/TX)	SC	20km	ET90110WDM
Industrial grade, Multi-Mode	SC	2km	IMC110MMSC
Managed, Multi-Mode	ST	2km	MMC110MMST

FIBER MEDIA CONVERTERS - 1000 MBIT

Type	Connector	Distance	Part Number
Multi-Mode	SC	550m	MCMGBSC055
Multi-Mode	SC	550m	ET91000SC
Multi-Mode	LC	550m	ET91000LC
Multi-Mode	SC	15km	MCMGBSC15
Multi-Mode to Single-Mode	SC	15km	ET91000MMSM
Single-Mode	SC	40km	ET91000SM40
Single-Mode	LC	40km	ET1000SM40LC

ETHERNET NETWORK CARDS

# of Ports	Type	Bus	Host Systems	Part Number
1 Port	10/100 Ethernet	USB 2.0	Desktop/Laptop	USB2106S
1 Port	10/100/1000 Gigabit	ExpressCard	Laptop	EC1000S
1 Port	10/100 Ethernet	PCIe	Desktop	PEX100S
1 Port	10/100/1000 Gigabit	PCI	Desktop	ST1000BT32
1 Port	10/100/1000 Gigabit	PCIe	Desktop	ST1000SPEX
2 Ports	10/100/1000 Gigabit	PCIe	Desktop	ST1000SPEXDP
4 Ports	10/100/1000 Gigabit	PCIe	Desktop	ST1000SPEX4
1 Ports	10/100/Ethernet	PCI	Desktop; LP Version	ST100S/ST100SLP

WIRELESS

Type	Bus	Host Systems	Part Number
802.11g	PCI	Desktop	PCI555WG

ETHERNET NETWORK SWITCHES

# of Ports	Type	Host Systems	Part Number
5 and 8 Ports	10/100 Ethernet	Desktop/Laptop	DS5107/DS8107

PRINT SERVERS

# of Ports	Type	Bus	Host Systems	Part Number
1 Port	10/100 Ethernet	Parallel/USB 2.0	Desktop/Laptop	PM1115P/PM1115U

EXTENDERS OVER CAT 5/6

# of Ports	Input Connector	Distance	Key Features	Part Number
1 Port	USB 1.1	165ft/50m	USB Over Cat 5/6	USB110EXT
4 Ports	USB 2.0	330ft/100m	USB Over Cat 5/6	USB2004EXT
	PS2	330ft/100m	PS/2 Over Cat 5	PS2UTPEXT

QUESTIONS?
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com



Power Supplies & Cooling

Power and Cooling Components

A complete selection of PC power supplies, fans and coolers to replace or upgrade your current components.



350 Watt ATX12V 2.01 Computer PC Power Supply with 20 & 24 Pin Connector ATX2POWER350



1U Low Profile 70mm Socket 775 CPU Cooler Fan with Heatsink & TX3 FAN7751U



Lightweight Laptop Cooler with 2 Fans NBCOOLER LE



Replacement 70mm TX3 Dual Ball Bearing CPU Cooler Fan FAN7X10TX3

POWER SUPPLIES

Wattage	ATX 12V	Mb Support	Fan	Key Features	Part Number
350	2.01	24/20 pin	80 mm	Dual 12V	ATX2POWER350
400	2.01	24/20 pin	80 mm	Dual 12V	ATX2POWER400
430/530	2.3; EPS 2.91	24/20 pin	80 mm	Quad 12V; 80PLUS; A/PFC	ATX2POWER430/ATX2POWER530
350/400	2.01	24/20 pin	80 mm	Dual 12V; Dell ATX	ATXPW350DELL/ATXPW400DELL
350	1.3	20 pin	80 mm	Dual 12V	ATXPOW350PRO
400	2.01	24/20 pin	80 mm	Dual 12V	ATX2PW400PRO
430	2.3; EPS 2.91	24/20 pin	80 mm	Quad 12V; 80PLUS; A/PFC	ATX2PW430PRO
450/500	2.01	24/20 pin	80 mm	Dual 12V	ATX2PW450PRO/ATX2PW500PRO
530	2.3; EPS 2.91	24/20 pin	80 mm	Quad 12V; 80PLUS; A/PFC	ATX2PW530PRO
550	2.01	24/20 pin	120 mm	Dual 12V	ATX2PW550PRO
630	2.3; EPS 2.91	24/20 pin	120 mm	Quad 12V; 80PLUS; A/PFC	ATX2PW630PRO
400/500	2.01	24/20 pin	120 mm	Dual 12V	ATX2POW400HS/ATX2POW500HS
255	1.3	20 pin	80 mm	MicroATX	MICATXPOW255
230		PS/2 (AT)	80 mm	PS/2 PC support	PS2POWER230

CPU COOLERS

Fan Size	Sockets	Processors	Heatsink	Part Number
70/92mm	AM2/939/940/754	AMD/K8 Family	Aluminum; 1U Server version	FANK8AM2/FANK8AM21U
70/95mm	T/775	Core 2 Duo/P4/1U Dual	Aluminum/Copper (1U)	FAN775E/FAN7751U
60mm	7/370	P3/Celeron/AMD K6	Alluminum/Copper (1U)	FAN370PRO/FAN3701U/FANP1003LD
60mm	A/370	Athlon XP/P3	Aluminum	FANATHLON
60mm	A/370	Duron; Thunderbird; XP	Aluminum	FANDURONTB
60mm	478	P4 Upt to 2.8Ghx	Aluminum	FAN478

NOTEBOOK COOLERS

Fans	Laptop Size	Color	Key Features	Part Number
4 x 60mm	Up to 15in	Black	Variable Speed fans	NBCOOLER
2 x 80mm	Up to 14in	Black	Ultralightweight	NBCOOLERLE

CASE/VIDEO/HARD DRIVE COOLING

Fan Size	Type	Fan/HS Type	Connectors/Key Features	Part Number
40 x 40 x 10/20mm	Case	DBB	LP4	FAN4X1LP4/FAN4X2LP4
50 x 50 x 10/15mm	Case	DBB	LP4/TX3	FAN5X1TX3/FAN5X15TX3
60 x 60 x 10/20/25mm	Case	DBB	TX3	FAN6X1TX3/FAN6X2TX3/FAN6X25TX3H
70 x 70 x 10/15/25mm	Case	DBB	TX3	FAN7X10TX3/FAN7X15TX3/FAN7X25TX3
80 x 80 x 25mm	Case	Ever Lubricate/DBB	LP4	FANBOXSL/FANBOX/FAN8X25TX3L
92 x 92 x 25mm	Case	DBB	LP4/TX3	FANBOX92/FAN9X25TX3L/FAN9X25TX3H
120 x 120 x 25mm	Case	DBB	LP4	FANBOX12
40mm	VGA Card	Copper	nVIDIA & ATI	FANUNIVGA
126 x 27 x 7mm	DDR/SDRAM	Aluminum	Memory Cooler	RAMCOOLERBL
40 x 40 x 20mm	Hard Drive	BB	Triple Fans	FANDRIVE/FANDRIVEBK
40 x 40 x 20mm	Hard Drive	BB	Dual Fans	FANDRIVE2/FANDRIVE2BK

A/V Cables

For Computer or Home Theater Applications

We offer cables that support virtually any video format making it easy to source the right cable.



10ft DVI-D Dual Link Digital Video Monitor Cable - M/M DVIDDMM10



6ft HDMI Digital Video Cable M/M HDMIMM6



6ft Coax High Resolution VGA Monitor Cable - HD15 M/M MXT101MMHQ



DVI to VGA Cable Adapter - M/F DVIVGAMF

DVI CABLES

Lengths	Type	Part Number
1, 3, 6, 10, 15, 20, 25, 30, 40, 50ft	DVI-D Dual Link	DVIDDMMxx
6, 10, 15ft	DVI-D Dual Link Extension	DVIDDMFxx
6, 10, 15, 20ft	DVI-I Dual Link	DVIIDMMxx
6, 10ft	DVI-I Dual Link Extension	DVIIDMFxx
3, 6, 10, 15ft	DVI to Coax High Resolution SVGA Monitor Cable	DVIVGAMMxx
1ft	DVI Splitter Cable - DVI to 2 x DVI	DVISPL1DD
1ft	DVI Splitter Cable - DVI to DVI + HDMI	DVISPL1DH
1ft	DVI Splitter Cable - DVI to 2 x VGA	DVISPL1VV

xx = Length

HDMI CABLES

Lengths	Type	Part Number
1, 3, 6, 10, 15, 20, 25, 30, 35, 40, 45, 45, 50 ft	HDMI to HDMI	HDMIMMxx
80ft	HDMI to HDMI - Active	HDMIMM80AC
6ft	HDMI to Mini HDMI	HDMIACMM6
6, 10, 15, 20, 30, 50ft	HDMI to DVI-D	HDMIDVIMMxx

xx= Length

SVGA CABLES

Lengths	Type	Part Number
1, 3, 6, 10, 15, 20, 25, 30, 35, 50, 75, 100ft	Coax High Resolution SVGA Monitor	MXT101MMHQxx
3, 6, 10, 15, 25, 35, 50, 75, 100, 150, 200ft	Coax High Resolution SVGA Monitor Extension	MXT101HQxx
6, 10, 15ft	Super Thin Profile SVGA Monitor	MXT101MMLPxx
6, 10, 15ft	Super Thin Profile SVGA Monitor Extension	MXT101LPxx

xx= Length

ADAPTERS

Type	Part Number
DVI to VGA Adapter M/F	DVIVGAMF
DVI to VGA Adapter F/M	DVIVGAFM
DVI-I Female to DVI-I Female Adapter	GCDVIIFF
HDMI to DVI Adapter F/M	HDMIDVIFM
HDMI to DVI Adapter M/F	HDMIDVIMF
Mini DVI to DVI Video Cable Adapter for Macs	MDVIDVIMF
Mini DVI to HDMI Video Cable Adapter for Macs	MDVIHDMIMF
Mini DVI to VGA Video Cable Adapter for Macs	MDVIVGAMF
DVI-I to DVI-D Dual Link Video Cable Adapter F/M	DVIIDVIDFM
HDMI to Mini HDMI Cable Adapter - F/M	HDMIACFM

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com

A/V Cables

DisplayPort Cables

Our DisplayPort Cables provide high performance and support a maximum bandwidth of 10.8Gbps.



6ft DisplayPort Cable with Latches - M/M
DISPLPORT6L



3ft Mini DisplayPort Cable - M/M
MDISPLPORT3



3ft DisplayPort Panel Mount Cable - F/M
DPPNLFM3



Right Angle DisplayPort to DisplayPort Adapter – M/F
GCDPMFRA

DISPLAYPORT CABLES

Lengths	Type	Part Number
1, 3, 6, 10, 15, 25, 35, 50ft	DisplayPort Cable with Latches - M/M	DISPLPORTxxL

xx = Length

MINI DISPLAYPORT CABLES

Lengths	Type	Part Number
3, 6ft	Mini DisplayPort Cable - M/M	MDISPLPORTx
3, 6, 10ft	Mini DisplayPort to DisplayPort Adapter Cable - M/M	MDP2DPMMxx

xx = Length

EXTENSION CABLES

Lengths	Type	Part Number
6in	DisplayPort Extension	DPEXTAA6IN
6ft	DisplayPort Extension	DPEXT6L

PANEL MOUNT CABLES

Lengths	Type	Part Number
3ft	DisplayPort Panel Mount Cable - F/M	DPPNLFM3
3ft	DisplayPort Panel Mount Cable with Power	DPPNLFM3PW

DISPLAYPORT ADAPTERS

Lengths	Part Number
DisplayPort Gender Changer - F/F	GCDPFF
Right Angle DisplayPort to DisplayPort Adapter - M/F	GCDPMFRA
DisplayPort Gender Changer - M/M	GCDPMM
6in DisplayPort to Mini DisplayPort Video Cable Adapter - M/F	DP2MDPMMF6IN
Mini DisplayPort to DisplayPort Adapter Converter - M/F	GCMDP2DPMF

USB Cables

USB 3.0, 2.0, Panel Mount, and Mini USB Cables

Our fully compliant USB cables deliver fast and reliable data transfers for both computer-based and mobile applications.



3ft Black SuperSpeed USB 3.0 Cable A to Micro B - M/M
USB3SAUB3BK



3ft A Right Angle to B Right Angle USB Cable - M/M
USB2HAB2RA3



5ft Desktop USB Extension Cable - A Male to A Female
USBEXTAA5DSK



1ft Panel Mount USB Cable A to A - F/M
USBPNLAFAM1



1ft Mini USB 2.0 Cable - A to Mini B
USB2HABM1

USB 3.0 CABLES

Lengths	Type	Color	Part Number
6ft	USB 3.0 - A to A	Blue	USB3SAA6
6ft	USB 3.0 - A to A	Black	USB3SAA6BK
3, 6, 10ft	USB 3.0 - A to B	Blue	USB3SABx
3, 6, 10ft	USB 3.0 - A to B	Black	USB3SABxBK
3ft	USB 3.0 - A to Micro B	Black	USB3SAUB3BK
6ft	USB 3.0 A to A - Extension	Blue	USB3SEXTAA6

xx = Length

USB CABLES

Lengths	Type	Color	Part Number
1, 3, 6, 10, 15ft	USB 2.0 Cable - A to B	Black	USB2HABxx
6, 10, 15ft	USB 2.0 Cable - A to B	Transparent	USB2HABxxT
3, 6, 10, 15ft	USB 2.0 Cable - A to B	Beige	USBFAB_xx
3, 6, 10, 15ft	USB 2.0 Cable - A to B	Transparent	USBFABxxT
6ft	USB 2.0 Cable - A to A	Beige	USBFAA_6
3ft	USB 2.0 Cable - A to A - Right Angled	Black	USB2HAB2RA3
3ft	USB to Type M Barrel 5V DC Power Cable	Black	USB2TYPEM
6in	USB 2.0 Cable - USB A Female to USB Motherboard 4 Pin Header F/F		USBMBADAPT
	2 Port USB Motherboard Header Adapter		USBMBADAPT2

xx = Length

USB EXTENSION CABLES

Lengths	Type	Color	Part Number
6, 10ft	USB 2.0 Cable - A to A - M/F	Beige	USBEXTAAx
3, 6, 10ft	USB 2.0 Cable - A to A - M/F	Black	USBEXTAAxxBK
6in	USB 2.0 Cable - A to A - M/F	Black	USBEXTAA6IN

xx = Length

PANEL MOUNT USB

Lengths	Type	Color	Part Number
1ft	Panel Mount USB Cable A to A - F/M	Black	USBPNLAFAM1
1ft	Panel Mount USB Cable - USB A to Motherboard Header Cable F/F	Black	USBPNLAFHD1
1ft	Panel Mount USB Cable B to B - F/M	Black	USBPNLBFBM1
	2 Port USB A Female Slot Plate Adapter	Gray	USBPLATE
	4 Port USB A Female Slot Plate Adapter	Gray	USBPLATE4
	2 Port USB A Female Low Profile Slot Plate Adapter	Gray	USBPLATELP

MINI USB CABLES

Lengths	Type	Color	Part Number
1, 3, 6, 10ft	Mini USB 2.0 Cable - A to Mini B - 5 pin	Gray	USB2HABMx
6in	Mini USB 2.0 Cable - A to Mini B - 5 pin	Gray	USB2HABM6IN
3, 6, 10ft	Mini USB 2.0 Cable - A to Mini B - 4 pin	Black	USBF4A5xx

xx = Length

MINI USB Y-CABLES (FOR EXTERNAL STORAGE DEVICES)

Lengths	Type	Color	Part Number
1, 3, 6ft	Mini USB 2.0 Cable - A to Mini B - 5 pin - Y Cable	Black	USB2HABMTx

Conxit Connection Wizard

StarTech.com's new ConXit Connection Wizard helps you find the right converter, extender, splitter, interface card or cable in two easy steps!

Visit: www.startech.com/conxit



QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com



StarTech.com

Hard-to-find made easy®

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com



StarTech.com

Hard-to-find made easy®

USB Cables, FireWire & Adapters

USB Adapters

Our Micro USB cables and adapters are designed to provide lightweight and convenient use with mobile devices like BlackBerry® and Android cellular phones.



1ft Micro USB Cable - A to Micro B
UUSBHAUB1



Micro USB to Mini USB Adapter F/M
UUSBMUSBFM



3ft 24V to 2x4 Powered USB Cable
PUSB2X424V03



Mini USB to USB B Adapter - M/F
MUSBUSBBMF



6ft IEEE-1394 FireWire Extension Cable 4 - 4 M/F
139444EXT6

MICRO USB CABLES

Lengths	Type	Color	Part Number
1, 3, 6, 10ft	Micro USB Cable - A to Micro B	Black	UUSBHAUB1
6in	Micro USB Cable - A to Micro B	Black	UUSBHAUB6IN
1, 3, 6ft	Micro USB Cable - A to Micro B - Left Angled	Black	UUSBHAUBxLA
1, 3, 6ft	Micro USB Cable - A to Micro B - Right Angled	Black	UUSBHAUBxRA

MICRO USB ADAPTERS

Type	Color	Part Number
Micro USB to Mini USB Adapter F/M	Black	UUSBMUSBFM
Micro USB to Mini USB 2.0 Adapter M/F	Black	UUSBMUSBMF
Micro USB to USB B Adapter M/F	Black	UUSBUSBBMF
USB A to Micro USB B Cable Adapter - Male to Male	Black	GCUSBAMBM

POWERED USB CABLES

Lengths	Color	Part Number
3, 6, 10ft	Powered USB, 24v , 8 pin	PUSB1X824Vxx
3, 6, 10ft	Powered USB - Hosiden + USB B Powered, 24v	PUSBDYB24Vxx
3, 6, 10ft	Powered USB, 24v, 4 pin	PUSB2X424Vxx

xx = Length

USB ADAPTERS

Type	Color	Part Number
Replacement USB to PS/2 Keyboard Adapter F/M	Purple	GC46FMKEY
Replacement PS/2 to USB Keyboard Adapter M/F	Purple	GC46MFKEY
Replacement PS/2 Mouse to USB Adapter - F/M	Beige	GC46MF
Replacement USB to PS2 Mouse Adapter	Green	GC46FM
USB A to USB B Cable Adapter - F/F	White	GCUSBAFBF
Gender Changer USB A to USB A - F/F	White	GCUSBAAFF
Gender Changer USB A to USB A - M/M	White	GCUSBAAMM
Adapter USB A to USB B - F/F	White	GCUSBABFF
Adapter USB A to USB B - M/F	Beige	GCUSBABFM
Gender Changer USB B Male to USB B Male	White	GCUSBABMF
USB A to Micro USB B Cable Adapter - M/M	Black	GCUSBAMBM
USB B to USB B Cable Adapter - M/M	Black	GCUSBBBMM
Mini USB to USB B Adapter - M/F	Black	MUSBUSBBMF
4 Port USB Connector Backplate	Gray	USBPLATE4
2 Port Low Profile Connector Backplate	Gray	USBPLATELP

FIREWIRE CABLES

Lengths	Type	Color	Part Number
1, 6, 10, 15ft	IEEE-1394 FireWire A - 6pin to 6pin	Black	1394_xx
10, 15ft	IEEE-1394 FireWire A - 6pin to 6pin	Transparent	1394_xxT
6, 10, 15ft	IEEE-1394 FireWire A - 4pin to 4pin	Black	1394_44_xx
1, 6, 10, 15ft	IEEE-1394 FireWire A - 4pin to 6pin	Black	1394_46_xx
6ft	IEEE-1394 FireWire A - 4pin to 6pin	Transparent	1394_46_6T
6, 10ft	IEEE-1394 FireWire B - 9pin to 4pin	Black	1394_94_xx
1, 6, 10ft	IEEE-1394 FireWire B - 9pin to 6pin	Black	1394_96_xx
6, 10ft	IEEE-1394 FireWire B - 9pin to 9pin	Black	1394_99_xx
6ft	IEEE-1394 FireWire Extension Cable 4pin to 4pin	Black	139444EXT6

xx = Length

Patch Cables

Networking Cables

A wide selection of Cat 5e, Cat 6 and Cat 6a patch cables, crossover cables, adapters, and bulk LAN wire - available in all lengths and colors.



Cat 5e Patch Cables

Individually tested to comply with Cat 5e specifications, our 24 gauge copper Patch Cables deliver reliable and error free performance.




Molded Cat 5e Patch Cables

M45PATCHxx

Available lengths:

1ft, 2ft, 3ft, 5ft, 6ft, 7ft,
10ft, 15ft, 20ft, 25ft, 35ft,
50ft, 75ft, 100ft

Available colors:



Snagless Cat 5e Patch Cables

RJ45PATCHxx

Available lengths:

1ft, 2ft, 3ft, 5ft, 6ft, 7ft,
10ft, 15ft, 20ft, 25ft, 35ft,
50ft, 75ft, 100ft

Available colors:



Cat 6 Patch Cables

Our ETL verified Cat 6 Patch Cables are made from 24 gauge copper to deliver high speed networking and meet the demands of power over ethernet technology.



Molded Cat 6 Patch Cables

C6PATCHxx

Available lengths:

1ft, 2ft, 3ft, 5ft, 6ft, 7ft, 8ft,
10ft, 12ft, 15ft, 20ft, 25ft,
35ft, 50ft, 100ft

Available colors:



Snagless Cat 6 Patch Cables

N6PATCHxx

Available lengths:

7ft, 10ft, 15ft, 25ft, 35ft,
50ft, 75ft, 100ft

Available colors:




*Cat 5e and Cat 6 wire is also available in Solid and Stranded bulk 1000 ft Rolls in all colors

Patch Cables Made Easy!

Use our "Cables at a Glance" tool to quickly find the right patch cable for the job.

Visit: www.startech.com/ToolsGuides/



QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com



StarTech.com

Hard-to-find made easy®

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com




StarTech.com

Hard-to-find made easy®

Internal Cables

SATA Cables

Our SATA Cables support fast data transfer rates up to 6Gbps and are designed to fit properly into any system configuration.



SATA to LP4 Power Cable Adapter
LP4SATAFM



12in SATA to Right Angle
SATA Serial ATA Cable
LSATA12RA1



20in Slimline SATA to SATA
with LP4 Power Cable Adapter
SLSATAF20



12in Micro SATA to SATA
with LP4 Power Adapter Cable
MCSATAF20

INTERNAL SATA

Lengths	Type	Part Number
4in	LP4 to SATA Power Cable Adapter with Floppy Power	LP4STA FMD
	SATA to LP4 Power Cable Adapter	LP4SATAFM
	SATA Power Y Splitter Adapter Cable	PYO3SATA
	SATA to LP4 with 2x SATA Power Splitter Cable	PYO2LP4SATA
18in	SATA Serial ATA Data and Power Combo Cable	SATA18POW
6in	4 Pin Molex to SATA Power Cable Adapter	SATAPOWADAP
36in	SATA Power Cable Adapter	SATAPOW36
	SATA to LP4 Power Cable Adapter with 2 Additional LP4	LP4SATAFM2L
6in	6in LP4 to LP4 SATA Power Y Cable Adapter	PYO1LP4SATA
18in	18in Right Angle SATA Cable with LP4 Adapter	SATA18POWRA
24in	24in SATA Serial ATA Data and Power Combo Cable	SATA24POW
	1 Port SATA and Power Slot Plate Adapter	SATAPOWPLAT1

SATA DATA

Lengths	Type	Part Number
6, 8, 12, 18, 24, 36in	SATA Data Cable	SATAxx
18, 24, 36in	SATA to Right Angle SATA Serial ATA Cable	SATAxxRA1
18, 24in	SATA to Left Angle SATA Serial ATA Cable	SATAxxLA1
36in	Shielded SATA Serial ATA Cable	SATA36S

xx = Length

LATCHING SATA

Lengths	Type	Part Number
12, 18, 24in	Latching SATA Cable	LSATAxx
12,18, 24in	SATA to Right Angle SATA Serial ATA Cable	LSATAxxRA1

xx = Length

EXTERNAL SATA

Lengths	Type	Part Number
3, 6ft	Shielded External eSATA Cable M/M	ESATAx
6ft	6ft Shielded eSATA to SATA Cable	SATA2ESATA6
1ft	1ft Low Profile Latching SATA to eSATA Plate Adapter	ESATAPLT1LPL
3ft	3ft eSATA and USB A to Power eSATA Cable - M/M	ESATAUSBMM3
	2 Port SATA to eSATA Slot Plate Bracket	ESATAPLATE2

xx = Length

SLIM SATA

Type	Part Number
20in Slimline SATA to SATA Adapter with LP4	SLSATAM20
20in Slimline SATA to SATA with LP4 Power Cable Adapter	SLSATAF20
Slimline SATA to SATA Adapter with Power	SLSATAADAP
Slimline SATA to SATA Adapter with SP4 Power - Screw Mount	SLSATACDADAP


MICRO SATA

Type	Part Number
12in Micro SATA to SATA with LP4 Power Adapter Cable	MCSATAF20
12in Micro SATA to SATA with LP4 Power Cable Adapter	MCSATAM12
12in Micro SATA Extension Cable	MCSATA12EXT
Micro SATA to SATA Adapter Cable with Power	MCSATAADAP
12in Micro SATA to SATA with SATA Power Adapter Cable	MCSATAF12S

Internal Power & Fiber Cables

Internal Power Cables & Fiber Optic Cables

Our selection of internal power cables and fiber optic cables are constructed of the highest quality materials, with exceptional workmanship ensuring optimum reliability and performance.



8in ATX12V 4 Pin P4 CPU
Power Extension Cable
ATXP4EXT

Fiber Optic Cables

Available in various lengths and connector combinations, our fiber patch cables are designed to provide optimum performance.



1m Multimode 50/125 Duplex
Fiber Patch Cable LC - LC
50FIBLCLC1



1m Single Mode Duplex
Fiber Patch Cable LC-SC
SMFIBLCSC1

INTERNAL POWER CABLES

Lengths	Type	Part Number
6in	LP4 to 6-Pin PCI Express Adapter Cable	LP4PCIEXADAP
6in	PCI Express 6-Pin to 8-pin Adapter Cable	PCIEX68ADAP
8in	EPS Power Extension Cable	EPS8EXT
8in	P4 Power Extension Cable	ATXP4EXT
8in	ATX Power Extension Cable	ATX24POWEXT
6in	LP4 to P4 Power Cable	LP4P4ADAP
6in	ATX Power 20 pin to 24 pin Adapter	ATX2024FM
6in	ATX Power 24 pin to 20 pin Adapter	ATX2024MF
9in	LP4 Power Splitter Cable	PYO2L
8in	LP4 to LP4/SP4 Splitter Cable	PYO2SL
12in	TX3 Fan Power Extension Cable	TX3EXT12
12in	TX3 Fan Power Splitter Cable	TX3SPLIT12
6in	TX3 Fan Power Splitter Cable	TX3SPLITTER

FIBER OPTIC CABLES

Type	50/125 Duplex Multimode	62/125 Duplex Multimode	9/125 Duplex Singlemode
LC-LC	1, 2, 3, 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150m	1, 2, 3, 4, 5, 7, 8, 10, 15, 20, 100, 130, 160, 200m	
LC-MT	1, 2, 3, 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150m	1, 2, 3, 5, 7, 10, 15m	
LC-SC	1, 2, 3, 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150m	1, 2, 3, 5, 7, 10, 15m	1, 5m
LC-ST		1, 2, 3, 5, 7, 10, 15m	
MT-MT	1, 2, 3, 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150m	1, 2, 3, 5, 7, 10, 15m	
SC-MT	1, 2, 3, 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150m	1, 2, 3, 5, 7, 10m	
MT-ST		1, 2, 3, 5, 7, 10m	
SC-SC	1, 2, 3, 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150m	1, 2, 3, 5, 7, 10, 15, 20, 30, 40, 50, 100, 200m	1, 2, 3, 5, 10, 15, 20, 30m
ST-SC		1, 2, 3, 5, 7, 10, 15, 20, 60m	1, 2, 3, 5, 10, 15, 20, 30m
ST-ST		1, 2, 3, 5, 7, 10, 15, 20, 50m	1, 2, 3, 5, 10, 15, 20, 30m

Part Number: 50FIB-Conn-Length (e.g. 50FIBLCLC1)

FIB-Conn-Length (e.g. FIBLCLC1)

SMFIB-Conn-Length (e.g. SMFIBLCSC1)



Desktop KVM

VGA, DVI, HDMI, and DisplayPort KVMs

A huge selection of KVMs including unique multi-monitor versions for demanding multimedia applications.



2 Port Dual DVI USB KVM Switch with Audio & USB 2.0 Hub
SV231DD2DUA



4 Port High Resolution USB DVI Dual Link KVM Switch with Audio
SV431DVIUAHR


MULTI-MONITOR KVMs

# of Ports	Input Interface	Video	Audio	Part Number
2, 4 Ports	PS/2	VGA + VGA, Dual Monitor	No	SV221DD/SV421DD
2, 4 Ports	USB	DVI + DVI, Dual Monitor	Yes	SV231DD2DUA/SV431DD2DUA
2, 4 Ports	USB	VGA + DVI, Dual Monitor	Yes	SV231DDVDUA/SV431DDVDUA
2 Ports	USB	DVI + DVI + DVI + DVI, Quad Monitor	Yes	SV231QDVIUA

USB KVMs

# of Ports	Input Interface	Video	Audio	Features	Part Number
2 Ports	USB	VGA	Yes	Ultra compact on a cable	SV215MICUSBA
2 Ports	USB	DVI	Yes	Ultra compact on a cable	SV215MICDVI
2, 4 Ports	USB	VGA	Yes	Kit with cables	SV211KUSB/SV411KUSB
2, 4 Ports	USB	DVI	Yes	Kit with cables	SV211KDVI/SV411KDVI
2, 4 Ports	USB	VGA	No	Professional Series	SV231USB/SV431DUSBU
4 Ports	USB	VGA	Yes	Professional Series	SV431USBA
2, 4 Ports	USB	VGA	Yes	Built-in Ethernet Network Hub	SV231USBAN/SV431USBAN
2, 4 Ports	USB	DVI	Yes	Built-in USB 2.0 hub	SV231UADVI/SV431UADVI
2, 4 Ports	USB	DVI Dual-Link	Yes	High resolution 2560x1600	SV231DVIUAHR/SV431DVIUAHR

Ideal for switching between a PC and Notebook



DISPLAYPORT KVMs

Description	Part Number
2 Port DisplayPort KVM (Digital Audio only)	SV231DPU
2 Port DisplayPort KVM (Digital & Analog Audio)	SV231DPUA
4 Port DisplayPort KVM (Digital & Analog Audio)	SV431DPUA

PS/2 KVMs

# of Ports	Input Interface	Video	Features	Part Number
2 Ports	PS/2	VGA	Ultra compact on a cable	SV211MICRO
2 Ports	PS/2	VGA	Kit with cables	SV211K
2, 4 Ports	PS/2	DVI	Professional Series	SV221DVI/SV421KDVI
2, 4 Ports	PS/2	VGA	Professional Series	SV231/SV431

UNIVERSAL KVM CABLES

Length	KVM Connectors	PC Connectors	Part Number
6, 10, 15ft	USB+VGA	USB+VGA	SVUSB2N1_x
6, 15ft	USB+DVI+SPKR+MIC	USB+DVI+SPKR+MIC	USBDVI4N1Ax
6, 10, 15ft	DB15	USB+VGA	SVECONUSx
6, 10, 15, 25, 50ft	DB15	PS/2+VGA	SVECONx
6, 10, 15, 25, 35, 50ft	PS/2+VGA	PS/2+VGA	SVPS23N1_x
6, 10, 15, 25, 50ft	PS/2+VGA	PS/2+VGA	PS23N1THINx

x = Length

For additional KVMs, dongles, accessories, and a large selection of KVM cables of varying lengths, please visit our website at www.startech.com/kvm

Enterprise KVM & LCD Consoles

Server Room Solutions

Solutions for taking full control of the server room, including local, long distance, and full remote over IP.



Rackmount, IP, and Matrix KVMs

A full line of LCD Consoles and versatile enterprise level KVM switches, from standard cabled rackmount models to multi-user matrix IP KVMs.



4 Port USB VGA IP KVM Switch with Virtual Media SV441DUSBI

Control multiple servers or KVMs remotely. Supporting VGA and USB, as well as virtual media means not only can you control your machines remotely, but have full access for remote software or operating system installations.

RACKMOUNT KVM

# of Ports	Extra Features	Part Number
8 Ports	RackMount	SV831DUSBU
8 Ports	Audio Support	SV831DUSBAU
16 Ports	RackMount	SV1631DUSBU



1 Port IP KVM with Virtual Media
SV1107IPEXT

IP KVMs

# of Ports	Simultaneous Users	Extra Features	Part Number
1 Port	1	Virtual Media	SV1107IPEXT
1 Port	1	Virtual Media Plus Serial, USB & PS/2	SV1115IPEXT
8, 16 Ports	1	RackMount	SV841HDIE/SV1641HDIE
16, 32 Ports	3 (Matrix)	Virtual Media, Serial, USB & PS/2	SV1653DXI/SV3253DXI
16, 32 Ports	4 (Matrix)	Virtual Media, Serial, USB & PS/2	SV1654DX4I/SV3254DX4I

LCD, KVM and IP KVM Consoles

A full range of LCD sizes from 15in to an industry leading 20in, with connectivity for VGA & DVI, and configurations from 1 to 16 ports.

LCD CONSOLES - ENTRY LEVEL

# of Ports	Size	Part Number
1 Port	17in	RACKCONV1701
1 Port	19in	RACKCONV1901

LCD CONSOLES - PROFESSIONAL SERIES

# of Ports	Size	Part Number
1 Port	17in	RACKCONS1701
1 Port	19in	RACKCONS1901
8 Ports	17in	RACKCONS1708
16 Ports	17in	RACKCONS1716
16 Ports	19in	RACKCONS1916



1U 20in High Resolution Folding Rack Mount LCD Console for 19in Rack RACKCONS2001

For maximum control and usability, the RACKCONS2001 supports both DVI and VGA servers and KVMs, and boasts the largest screen size (20.1in), and highest resolution (1600x1200) screen available in a rack mountable LCD Console.

LCD CONSOLE WITH BUILT-IN CONTROL OVER IP

# of Ports	Size	Part Number
16 Port	17in	CABCONS1716I



KVM Console to USB 2.0 Portable Laptop Crash Cart Adapter NOTECONS01

With the NOTECONS01, your laptop quickly becomes a portable console allowing you to connect to and control any PC or headless server with a VGA and USB port.

In the News

"StarTech.com's USB KVM may be your new best friend for trips to the datacenter... you can use this from the back of the rack. So if you are handling issues that require moving cables or network connections this can be a major timesaver." - everythingUSB.com

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com



QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com



Server Racks & Cabinets

Wallmount, Open Frame, and Full sized Cabinets

A vast range of racks and cabinets to suit any installation, from a single desk or wall mounted network switch, to a new server farm. A multitude of heights, depths, weight capacities and colors.



42U 42in Deep Server Rack Cabinet
RK4242BK

FULL SIZED RACKS

Capacity	Mounting Depth	Details	Part Number
15U	36in	Lockable	2636CABINET
22U	36in	Vented, Lockable (ships flat)	RK2236BKF
41U	36in	Vented, Lockable	7236CABINET
42U	36in	Vented, Lockable	RK4236BK
42U	42in	Vented, Lockable	RK4242BK
42U	36in	Sideless; Sides Available	RK4236BKNS
42U	42in	Sideless; Sides Available	RK4242BKNS



2U 19in Steel Vertical Wall Mountable Server Rack
RK219WALLV

VERTICAL WALLMOUNT

Capacity	Mounting Depth	Details	Part Number
1U	Open	Vertical/Horizontal	RK119WALLV
2U	Open	Vertical/Horizontal	RK219WALLV
3U	Open	Vertical/Horizontal	RK319WALLV
4U	Open	Vertical/Horizontal	RK419WALLV

WALLMOUNT

Capacity	Mounting Depth	Details	Part Number
2U	4in	Hinged	WALLMOUNTH2
4U	4in	Hinged	WALLMOUNTH4
6U	12in	Open	WALLMOUNT6
8U	12in	Open	RK812WALLO
10U	18in	Lockable Door	CAB1019WALL
12U	18in	Lockable Door	RK1219WALL
12U	15in	Hinged Back, White	RK1219WALH
12U	16.25in	Hinged Back, Black	RK1219WALHM



12U 19in Hinged Wall Mount Server Rack Cabinet with Vented Glass Door
RK1219WALH



22in Black Deep Sliding Server Rack Cabinet Shelf
SLIDESHELF

RACK SHELVES

							Mounting Style		Vented	Sliding	Part Number
16in	20in	22in	26in	27in	34in	38in	Universal	Side			
X							X				CABSHELF
	X						X		X	X	UNISLDSHF19
				X				X			CABSHELF
		X					X			X	SLIDESHELF
			X					X	X		RK36SLF
			X					X	X	X	RK36SLF
					X			X	X		RK42SLF
					X			X	X	X	RK42SLF
						X	X		X		ADJSHELF

Extra Mounting Hardware

Heavy duty zinc coated and stainless nut and screw sets are always handy to have on hand for future hardware installs, or re-configuring your server room.



22U 36in Knock-Down Server Rack Cabinet with Casters RK2236BKF

This 22U 36in deep server rack features a glass front door, and rear mesh for optimal passive cooling. The cabinet ships flat, supports 1760lbs, and includes casters and mounting hardware for a complete easy to handle solution.



12U 4 Post Server Equipment Open Frame Rack with Adjustable Posts & Casters 4POSTRACK12A

This 12U open frame rack is ideal for a wide range of equipment due to its wide range adjustable depth frame. This extremely lightweight (17.6lb) rack ships flat, and includes casters and mounting hardware for a complete out of the box solution.



50 Pkg M5 Cage Nuts for Server Rack Cabinets
CABCAGENUTS



50 Pkg M5 Mounting Screws for Server Rack Cabinet
CABSCREWS



50 Pkg M6 Mounting Screws and Cage Nuts for Server Rack Cabinet
CABSCREWM6

OPEN RACK/RELAY RACK (FLAT PACKS)

Capacity	Mounting Depth	Details	Part Number
12U	Open	Desktop Rack	RK120D
42U	Open	Telco, network switch style	2POSTRACK
12U	36in	Lightweight Adjustable	4POSTRACK12A
12U	31.5in	Adjustable Depth	4POSTRACK12
25U	31.5in	Adjustable Depth	4POSTRACK25
36U	31.5in	Adjustable Depth	4POSTRACK36
42U	31.5in	Adjustable Depth	4POSTRACKBK
45U	36in	3300lb Capacity	4POSTRACKHD



36U Adjustable 4 Post Server Equipment Open Frame Rack
4POSTRACK36

Conxit Connection Wizard

StarTech.com's new ConXit Connection Wizard helps you find the right converter, extender, splitter, interface card or cable in two easy steps!

Visit: www.startech.com/conxit



QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com

32

StarTech.com

Hard-to-find made easy®

QUESTIONS?

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com

33

StarTech.com

Hard-to-find made easy®

Visit our website for complete information on over 2500 parts that connect your technology solutions.

Conxit Connection Wizard

StarTech.com's new ConXit Connection Wizard helps you find the right converter, extender, splitter, interface card or cable in two easy steps!

Visit: www.startech.com/conxit



Distributed by:

